Betore Starting Work.

## **MORK AREA** Before Starting Work

- fumes from petrol, or gas cylinders. danger of explosion. It will ignite 1. Do not use this fan where there is a
- optimize its efficiency. from walls and other obstructions to Site this fan in a safe place away ·7
- airflow to touch the tan while it is in not allow anyone to stand in the flying debris blown by the fan. Do Protect other people form possible - 2
- it has been set up sately. This fan can be left unattended once ·. .esu
- where it might get wet. Do not use this fan in the rain or ·'G

# NAA

- contact the hire company. damaged, do not use the equipment equipment. If anything is found 1. Check your fan, cable and plug and
- force connections or improvise them. matches your supply. Do not try to Check that the plug on your tan
- Fans with a cylindrical yellow 31
- industrial plug fitted are designed to
- portable transformer if you need to hire company will have provided a run off a special 100v supply. The

uthoritatively interpret the law

2450 Regents Court The Crescent Birmingham Business Park Solihull B37 7YE

vensue. :lism3 uoydəjə

**YTERCAL SAFETY** 

. 6uiuuni

www.use.org.uk เมฆเติมชุย.org.uk

44 (0) 121 330 4600 44 (0) 121 333 4109

a yellow industrial plug fitted, or a blue

it will be 100v or 230v. 110v fans will have

Your fan will only operate on one voltage:

on, you must know how to switch it

operates - before you switch the fan

Check on how the on/off switch

through th grille while the fan is

Do not push fingers or anything else

either a normal square pin plug

directly from 230v mains will have

than you think. Fans designed to run

moving it about - it may be heavier

care not to injure yourself when

transformer has been supplied, take

power the fan from a normal mains

-Kiddns vosz

If a portable

and outlets while the tan is in use.

4. Do not cover or block the air intakes

fitted, or a blue industrial plug.

6. This fan is for use inside buildings

only, do not use it outside.

44 (0) 121 380 4600 44 (0) 121 333 4109

connections are dry and safe.

catch tire.

4. Make sure that any extension cable

fully or it will overheat and could

vehicles might run over it. Unroll it

be trapped, and places where

doorways or windows where it might

avoiding liquids, sharp edges,

use an extension cable between the

50 metres (160 feet). You must only

100v extension cable, not longer than

ouly use a suitably rated heavy duty

any special instructions, you should

sny special

2. If you need to use an extension cable,

not use any 230v extension cables.

directly into the 230 volt socket. Do

transformer, plug the transformer

Read the instructions

1. If you are using a portable

110 VOLT HEATERS (YELLOW PLUG)

Eh.

3. Lay the extension cable out carefully

transformer and the fan.

company have not given

hire company. If the hire

instructions given by the

WOIIOT

below for your fan.

industrial plug.

e.ora.uk w.hae.org.uk

Any unauthorised reproduction - manually or electronically - is STRICTLY prohibited

Copyright Hire Association Europe April 2000

- 8.
- If you think the cable may be cut or damaged in any way, switch off and unplug at the mains before inspecting it. If the cable attached to the fan is damaged, stop using the fan. Contact the hire company. If an extension cable has been damaged, do not use it again.

10. If your equipment does not work properly, do not attempt to repair it. Contact the

Please keep this leaflet safely as it may be required for future reference

Switch off and unplug if you are not using the fan.

Use an rcd if your fan uses a 230 volt supply

Do not move the fan while it is running

1. 2

3.

4.

hire company.

- 7.

### This fan can also be used to improve the ventilation of a building. 5. Switch off and unplug, before moving the fan. 6.

HSE

Make sure the fan is sited in a safe secure place before switching on.

Using the Site Fan

Take care not to accidentally pull the plug from the socket.

2450 Regents Court The Crescent

connections are dry and safe.

conia catch fire.

5. Make sure that any extension cable

Unroll it fully or it will overheat and

where vehicles might run over it.

where it might be trapped, and places

sharp edges, doorways or windows

longer than 50 metres (160 feet).

suitably rated heavy duty one, not

instructions, you should only use a

special

it. Reset the rod according to the

eh rcd is working each time you use

you against electric shock it the cable

into the rcd. This will help to protect

2. Use the 'TEST' button to check that

чu

suλ

ካ

special

TIT

5

4. Lay it out carefully avoiding liquids,

Plug it directly into the rcd.

have not given

the hire company

the hire company. It

instructions given by

extension cable, follow

instructions supplied with it.

lt you need

or ran get damaged.

socket. Plug your fan

directly into the 230 volt

device ('rcd') plugged

(SOUARE PIN OR BLUE PLUG)

1. Use a residual current

**230 VOLT HEATERS** 

suλ

3

rmingham Business Park plihull B37 7YE

For more information on

n Hire Centre (SHC) Limited, Document expires on

health and safety in construction go to

www.hse.gov.uk/construction/

### Plan your work and think ahead to make sure you will Do not allow anyone to stand in front of the fan, the dust particles blown up by the 1. fan could be dangerous to health especially if blown into the eye. always be working safely. 2. This fan is designed to circulate the air within a building 3.

4.

5.

6.

7.

8

or alcohol.

Electricity can be hazardous and must always be used with great care.

shock if using a 230 volt (mains) supply.

producing a stream of cool air to reduce the temperature.

and the precautions you should take before you start to use it.

permanent disability must seek expert advice before using it.

have the force of law and only the courts can a

Every effort has been made by HAE/EHA to ensure that the information given in this document and supp

is accurate and not misleading. HAE/EHA cannot accept responsibility for any loss or liability p to have arisen from the use of any such document/material. Only Acts of Parliament and Statutory Instruments

It is important to read all of this leaflet

**BEFORE you use the Site Fan** 

1301 Fan - 110/230v

Site Fan

The rules and procedures in force where people are at work may require the person responsible for this equipment to carry out a specific risk assessment.

This fan can cause injury or damage if it is not used in a careful and controlled way.

If you have not used a fan before, familiarise yourself with the potential hazards

You should use a residual current device 'rcd' to help protect you against electric

This fan must not be used by minors, or by anyone under the influence of drugs

This fan is designed for use by an able bodied adult. Anyone with either temporary or